

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An ophthalmic apparatus comprising:

- a base;
- a face supporting unit which is fixed to the base;
- a chin rest being movable up/down with respect to the face supporting unit, on which a chin of an examinee is placed;
- a first moving unit having a motor, which puts the chin rest into up/down movement;
- an examination unit being movable up/down with respect to the base, which has an examination optical system for examining an eye of the examinee;
- a second moving unit having a motor, which performs alignment of the examination unit with respect to the eye of the examinee fixed to the face supporting unit by putting the examination unit into up/down movement; ~~and~~
- [[n]]an image pickup unit which picks up an image of the eye of the examinee fixed to the face supporting unit; and
- a control unit which
 - obtains a deviation amount of the eye in an up/down direction from a reference position of the examination unit in the up/down direction based on the image picked up by the image pickup unit,
 - judges whether or not the obtained deviation amount is outside a predetermined possible range of the alignment in the up/down ~~movement~~ direction, which is [[is]]narrower than a possible range of the up/down movement of the examination unit by the second moving unit,
 - performs alignment of the examination unit with respect to the eye by driving the motor of the second moving unit if the obtained deviation amount is not outside the predetermined possible range,
 - drives the motor of the first moving unit so that the deviation amount is within the predetermined possible range if the obtained alignment deviation amount is outside the predetermined permissible range, and
 - performs alignment of the examination unit with respect to the eye by driving the motor of the second moving unit when the deviation amount is within the predetermined possible range.

2. (Cancelled)

3. (Cancelled)

4. (Cancelled)

5. (Cancelled)

6. (Previously presented) The ophthalmic apparatus according to claim 1, further comprising an informing unit which informs that the chin rest is to be moved by the first moving unit.

7. (Original) The ophthalmic apparatus according to claim 1, further comprising:
a mode-selecting switch for selecting any one of a first examination mode in which the examinee him/herself performs examination and a second examination mode in which the examiner performs the examination; and
a sensor for sensing that the chin of the examinee is placed on the chin rest,
wherein a detection signal from the sensor becomes a trigger for starting alignment in a case where the first examination mode is selected

8. (Currently amended) An ophthalmic apparatus comprising:
a base;
a face supporting unit which is fixed to the base;
a chin rest being movable up/down with respect to the face supporting unit, on which a chin of an examinee is placed;
a first moving unit having a motor, which puts the chin rest into up/down movement;
an examination unit being movable up/down with respect to the base, which has an examination optical system for examining an eye of the examinee;

a second moving unit having a motor, which performs alignment of the examination unit with respect to the eye of the examinee fixed to the face supporting unit by putting the examination unit into up/down movement;

an image pickup unit which picks up an image of the eye of the examinee fixed to the face supporting unit;

a movement limit detection unit which detects a movement limit of the up/down movement of the examination unit by the second moving unit; and

a control unit which[[:]]

obtains a position of the eye in an up/down direction based on the image picked up by the image pickup unit when the movement limit is detected by the movement limit detection unit during the alignment by the second moving unit,

drives the motor of the first moving unit so that the obtained position is within a predetermined possible range of the alignment in the up/down direction, which is narrower than a possible range of the up/down movement of the examination unit by the second moving unit, and

performs the alignment of the examination unit with respect to the eye by driving the motor of the second moving unit when the position is within the predetermined possible range.

9. (Cancelled)